

SPORTS FLOORING
Ultimate Sports Flooring Solution for Your Sports

OFFICIAL SUPPLIER
ULTIMATE SPORTS FLOORING SOLUTION FOR YOUR SPORTS
TO INTERNATIONAL EVENTS





/OFFICIAL SUPPLIER TO INTERNATIONAL EVENTS /

2020 Tokyo Olympic Games Sole Supplier

2019–2026 FIBA 3X3 Global Official Court Supplier
2019–2026 FIBA 3X3 World Cup & World Tour
2018 FIBA 3X3 U23 World Cup
2018 FIBA 3X3 Asia & Europe Cup
2019 Pan American Games

2016, 2019–2020 World Table Tennis Championships
2018 Table Tennis Youth Olympic Games
2013–2020 Table Tennis World Cup
2014–2017 ITTF China Open

2017–2019 Badminton Asia Championships
2014–2017 China Masters(Badminton)

2018 National Men's U19 Volleyball Championship
2014 AFC Futsal Club Championship
2015 CFA International Futsal Tournament



/PRODUCT CATALOGUE /

- ENTERPRISE PROFILE /01-03
- PVC SPORTS FLOORING /04-23
- SUSPENDED INTERLOCK TILES /24-33
- CUSTOMIZED FLOORING /34-35
- VENUE EQUIPMENT /36-39
- PROJECT CASES /40-60

SINCE 2007
FOCUSING ON THE DEVELOPMENT OF SPORTS FLOORING.

Shijiazhuang Enlio Sports Goods Co., LTD is situated in City of Shijiazhuang, Hebei Province, integrated with the latest technology for research & development, production, sales, installation and after-sales service since 2007. Enlio possesses the largest logistics supply chain and boast the biggest warehouse for sports flooring, and has been recognized as the No.1 company in maintaining top sales in PVC sports flooring and Modular Court Tiles in CHINA every year.


Enlio company manages two brands of sports flooring "Enlio" and "Alite". We are specialized in PVC sports flooring, modular court tiles, wet area mats, kids flooring, dancing flooring, multi-purpose flooring, commercial flooring and many more, applicable to Badminton, Table Tennis, Basketball, Tennis, Volleyball, Gymnasium, Kindergarten, Swimming pool, Hotels etc. Enlio has made exports to more than 80 countries and has maintained a strong business relationship with more than 1000 Importers from around the Globe. Enlio has always adhered to the management system of "Quality First, Services First" from the beginning by investing on the most advanced test equipments for the best result in quality and to provide fast & excellent service to all our customers.

Enlio Sports Flooring has been approved by BWF, ITTF, FIBA, FIVB, ITF, IHF, CE and SGS, ISO9001, ISO14001, OHSAS18001. Enlio has made a multi-year Global Deal with FIBA for 3x3 World Events. Some of the upcoming events are 2020 TOKYO Olympic Games, 2019-2026 FIBA 3X3 global official court supplier, 2019-2026 FIBA 3X3 World Cup & World Tour. Other prestigious sports events that Enlio has been associated are 2014-2015/2015-16 CBA League, 2016/2019/2020 ITTF World Table Tennis Championships, 2013-2020 ITTF Men's and Women's World Cup. Enlio will continue to FOCUS on the development of top quality sports flooring, relying on its own brand, market, quality, services, and management advantages, to create the No.1 and the First National Sports Flooring Brand in CHINA.

/ENTERPRISE PROFILE /



“BUILD-IN LINE” BADMINTON COURT MAT



Parameter

	Width	1.8m
	Length	15m
	Color	Green
	Thickness	5.5mm
	Warranty	8 Years




Y-21155N

Product Features

1. The court line is designed inside the flooring--Never wear and zero maintenance.
2. Transparent layer coating--Beautiful as new forever.
3. Multiple PVC reinforced structural design--Wear-resisting and durable.
4. 100% pure and high quality material--Healthy and environmental.

BADMINTON COURT MAT-CRYSTALSAND SURFACE



Enlio Crystal Sand Surface Badminton Mat is special for badminton competition. It is widely used in various professional badminton competitions and approved by BWF. Compliance with standard of EN14904.



Y-23170 / Y-23155 / Y-23150

Parameter

	Width	1.8m
	Length	15m
	Color	Green, Blue
	Thickness	7.0 / 5.5 / 5.0mm
	Warranty	15 / 10 / 8 Years

Characteristics	Declared Values
Type	—
Friction	92
Shock Absorption	29.4%
Vertical Deformation	1.1







TABLE TENNIS FLOORING



Features

Classic Weaving surface design, premier flooring for competitions and high-end professional table tennis venues, available in 3 colors: Red, Blue, Purple

1. Structured embossing makes strong wear resistance and perfect footing.
2. E-SUR® Surface Treatment + Polyester mesh + High density woven, keeps stable products quality and durability
3. Engineered and developed in partnership with ITTF, has been applied to 2013-2020 World Cup, 2018 Youth Olympic Game, 2016/2019/2020 WTTC.

Parameter

	Surface Pattern	Weaving		Color	Red / Blue / Purple
	Width	1.8m		Thickness	5.0 / 5.5 / 7.0mm
	Length	Customized		Warranty	8 / 15 Years
	Application	Table Tennis Hall, Multipurpose Hall			



Y-94155




Y-14150/Y-14155/Y-14170



Y-44150



BASKETBALL FLOORING



Parameter



	Surface Pattern	Wood Finish
	Width	1.8m
	Length	Customized / 15m
	Color	Maple / Blue Maple
	Thickness	4.5 / 5.0 / 5.5 / 7.0 mm
	Warranty	8 / 10 / 12 Years
	Application	Basketball Courts, Indoor Futsal, Fitness Centers etc.



Y-65145/Y-65155/Y-65170



BASKETBALL FLOORING



Y-65150X / Y-65170X

Product Features


1. Surface layer is treated by E-SUR® , which performance is super wear resistant and Extremely anti-fouling & scratch resistant.
2. The inner layer with high-density of non-woven fiber glass and polyester mesh layer to ensure long term use.
3. Bottom layer with special design, prevents the court from moving.
4. Classic oak finish, easy to clean and more comfortable eyesight for the players and audience.

Parameter


	Surface Pattern	Wood Finish		Color	Oak, Maple
	Width	1.8m		Thickness	5.0 / 7.0mm
	Length	Customized / 15m		Warranty	8 / 12 Years
	Application	Basketball Courts, Indoor Futsal, Fitness Centers etc.			



VOLLEYBALL & HANDBALL FLOORING



Raindrop Surface has been approved by FIVB, designed according to the professional volleyball sports characteristics. Professional pattern design makes the surface layer wear-resistant and durable. Non-slip, safety, combination of elegant sea blue and pink, high elastic thickening foaming buffer treatment, all these elements make the venue elegant and beautiful, and it has excellent sports performance.




Y-46170/Y-56170/Y-10670

Parameter

	Surface Pattern	Rain-drop		Color	Orange/Pink/Sea Blue
	Width	1.8m		Thickness	7.0mm
	Length	18 / 21m		Warranty	10 Years
	Application	Volleyball Hall, Handball Hall and Multi-purpose Hall			



FUTSAL FLOORING



Model No: Y45170 / Y45150



Description: Professional Design For Indoor Futsal

Material: PVC

Application: 2014 AFC Futsal Championships & 2017 CFA Futsal Super League

Parameter

	Surface Pattern	Maple		Color	Blue
	Width	1.8 m		Thickness	5.0 / 7.0 mm
	Length	20 m		Warranty	8 / 10 Years
	Application	Indoor Futsal , Basketball			



Model No: PP Flat

Description: Professional Design For Indoor Futsal.


Material: PP(Polypropylene)

Applications: Indoor Futsal.


Connection Method: Elastic connection which reduces the impact of expansion and contraction.

Bottom Structure: Suspend ribbed plate ensures drainage and ventilation, disperses the force, provides excellent shock absorption performance.

Parameter

	Service Life	8 Years
	Specification	25cm*25cm*1.22cm

MULTI-PURPOSE COMMERCIAL FLOORING



Enlio multi-purpose commercial flooring is treated with exquisite technology, which perfectly combines the advantages of commercial flooring and sports flooring, wear-resistant and durable, environmental-friendly, feel comfortable, can be used in kindergartens, fitness, offices, hospitals and other places.
14 colors for your option, provide elegant vision after installation.




Product Features

1. High quality material, environmental friendly
Selection of non-toxic and harmless high-quality polymer PVC materials, excellent quality and environmental friendly.
2. Excellent performance, comfortable feel
The fiber glass reinforced layer is integrated into the stable band to improve the size stability, strength and toughness stability without deformation concerns.
3. High poly surface layer, durable and stain resistant
The surface layer is made of PVC molecular material with high degree of polymerization, the molecular chain is extremely dense, prevents dirty elements from entering the surface layer, thus forming anti-fouling protective film, and anti-fouling and scratch performance is excellent, ensures long-term use, keeping new, easy to clean and maintain.
4. Dual process, rigid and soft combination
With the combination of commercial and sports technology, the floor and foaming layer are innovatively combined with the structure to maintain the rigidity and dimensional stability of the floor while taking into account the flexibility, comfort and energy return of the floor.

Width	2.0m
Length	Customized
Thickness	4.0mm
Warranty	6 Years
Color	Red/Green/White/Orange/Yellow/Blue/Light Blue/Light Green/Light Gray/ Dark Gray/Rosewood/Yellow Wood/Gray Wood/White Wood.



DANCE FLOORING



Y-12152W



Y-3152W




Y-5152W




Y-10152W

Parameter

	Surface Pattern	Flat		Color	Dark Gray/ LightGray/Sky Blue/Pink
	Width	1.8m		Thickness	5.2mm
	Length	Customized		Warranty	6 Years




OUTDOOR PVC FLOORING (PFO)



Parameter


	Width	1.8m
	Length	Customized
	Color	Red/Green/Gray/Blue
	Thickness	5.5 / 8.0mm
	Warranty	3 Years




PFO is specially designed for outdoor basketball court, tennis court and multi purpose used. The material adopts outdoor formula, with great performance of weather resistance, UV protection, anti-aging, mould proof, antibacterial, easy to clean, moisture proof and waterproof, etc.



SES ELITE



Anti-slip performance in wet area
Reinforce stable support layer
Asterisk type elastic support legs
Elastic buckles design
12 pairs reinforce elastic buckles



Parameter

	Service Life	15+ Years	Warranty	6 Years	Specification	25cm*25cm*2cm
--	--------------	-----------	----------	---------	---------------	---------------

SES ELITE

Description: Professional event use, with anti-slip, high ball rebound and safety-protection performance.

Application: High level outdoor basketball, volleyball, badminton, tennis court, etc.


Product structure: Homogeneous elastic structure.

Connection method: Elastic expansion type connection which relieves expansion and contraction.

Bottom structure: High-dense elastic support structure, disperses force impact, enhances the foot feeling experience, prevents the floor from moving.

SES COMPETITION

Elastic, soft and anti-slip surface
New connection design
Asterisk type elastic support base



Parameter


	Service Life	12+ Years	Warranty	5 Years
--	--------------	-----------	----------	---------



SES COMPETITION
Specification: 25cm*25cm*2cm
Description: Professional event use, with anti-slip, high ball rebound and safety-protection performance.
Application: High level outdoor basketball, volleyball, badminton, tennis court, etc.
Product structure: Homogeneous elastic structure.
Connection method: Elastic expansion type connection which relieves expansion and contraction.
Bottom structure: High-dense elastic support structure, disperses force impact, enhances the foot feeling experience, prevents the floor from moving.



SES BATTLE




Anti-slip comfortable surface High-density elastic support layer
Reinforced rib support structure All-soft elastic connection buckles

SES BATTLE
Description: Polymer thermoplastic elastomer material
Application: Middle&high level outdoor basketball, volleyball, badminton, tennis court, etc.
Product structure: Homogeneous elastic structure.
Connection method: Elastic expansion type connection
Bottom structure: Stable absorption structure with composite solid elastic support base and hollow cushioning elastic column.

Parameter

	Service Life	10+ years	Warranty	4 Years	Specification	25cm*25cm*1.6cm
--	--------------	-----------	----------	---------	---------------	-----------------


SES KINDERGARTEN




30cm*30cm*1cm

- 1. Food-grade environmental material.
- 2. Ideal structure for kids.
- 3. Homogeneous elastic structure with excellent performance on shock absorption, anti-slip and protection.
- 4. Relieve expansion and contraction.

SES Kindergarten Tiles
Description: Professional kindergarten floor with best safety feature.
Application: Kids playground and kindergarten
Product structure: Homogeneous elastic structure.
Connection method: Elastic expansion type connection which relieves expansion and contraction.
Bottom structure: High density elastic support legs ensure the shock absorption and dynamic rebound.




40cm*40cm*1cm




Parameter

	Warranty	4 Years	
	Specification	40cm*40cm*1cm	30cm*30cm*1cm

PEARL ASTERISK TILES




Pearl Asterisk
Description: High-end outstanding Anti-slip single layer court tiles.
Application: Basketball, Tennis, Volleyball, Badminton Court etc.
Surface Pattern: Protuberant “Pearl” granule anti-slip surface pattern, showing elegant visual.



Parameter

	Specification	30.48cm*30.48cm*1.38cm
--	---------------	------------------------

SOFT-CONNECTION SERIES



Soft-Connection I
Description: Enlio high-end soft connection series
Application: Basketball, Tennis, Volleyball, Badminton etc.


Parameter

	Service Life	8-12 Years
	Specification	40cm*40cm*1.58cm

Soft-Connection II
Description: Enlio high-end soft connection series
Application: Basketball, Tennis, Volleyball, Badminton etc.

Parameter


	Service Life	8-12 Years
	Specification	34cm*34cm*1.58cm



Soft-Connection III
Description: Enlio high-end soft connection series
Application: Basketball, Tennis, Volleyball, Badminton etc.


Parameter

	Service Life	8-12 Years
	Specification	53cm*53cm*1.58cm




- Features
- 1.High quality material and environmental friendly.
 - 2.High-elastic buffer, sports protection.
 - 3.Unique locking system design to effectively control thermal expansion and contraction.
 - 4.Soft connection structure to ensure the accurate ball rebound.
 - 5.Scientific design to reduce construction costs.
 - 6.Anti-move, Anti-theft.

ELASTIC LF TILES



Description: Polypropylene(PP) court tiles with special elastic sprung.
Applications: Basketball, Tennis, Volleyball, Badminton Court, etc.
Surface Pattern: Elastic LF pattern, Dull polish treatment, Anti-glare, No dazzling. Excellent friction performance ensures safety and anti-slip function.

Connection Method: Elastic telescopic snap button, effectively controls thermal expansion and contraction.
Bottom Structure: Bold support feet, improve rigid support. Ensure impact resistance and perfect ball rebound.



Parameter

	Warranty	6 Years
	Specification	30.48cm*30.48cm*1.45cm

PRO -PFP




Description: The substrates of PVC badminton court.

Applications: As substrate in the basal layer of badminton court.

Surface Pattern: High-end Windmill shape surface pattern, which is honored with national layout-design invention patent. Strong texture. Effectively prevent displacement.

Connection Method: Elastic expansion type connection which relieves expansion and contraction.




Bottom Structure: Suspended ribbed plate ensures smooth drainage and ventilation, decentralized impact force, provides excellent elastic shock absorption performance.

Parameter

	Service Life	6 Years
	Specification	40cm*40cm*1.38cm(II)



WET AREA MATS



Enlio wet area mat is an ideal for swimming pool surrounds, showers, spas, saunas and changing rooms. Unique design allows water to drain off easily, provides slip resistance, safe and dry surface. Enlio wet area mat is warm and comfortable and ideal with barefoot traffic.

Material: Antibacterially treated UV-resistant soft vinyl. 100% natural material.

Tile size: 200x200 mm

Thickness:9mm

Weight:4.2kg/m²


Temperature resistance: -35℃ - +70℃

Colours: Dark Blue,light Blue, Dark Grey, Ocean Green, Beige, Antique Pink

Packing: 100tiles/box(approx.4m²)

Bacterial resistance: No growth

Slip resistance: DIN51097 :A+B+C DIN EN13451/15288-1:30



Easy To Assemble

Joining tiles together is very easy. To turn tiles upside down and connect tiles with a rubber hammer.

Easy To Clean


Enlio mat is easy and inexpensive to clean, simply by mopping over or hosing down. Dirt that falls through the mat is easy to clean up from the floor underneath.


Variety Designs and Shapes

Enlio wet area mat can be assembled in a variety of design and shapes. Allows you to economically create a surface of any length, width or shape. Enlio mat is an ideal option of covering large or irregular areas.


Seamless Cock

Hidden interlocking connectors.





CUSTOMIZED FLOORING



Advantages :

- 1.Customization: Large design collections for your choice, customized pattern of your own.
- 2.Design: Exclusive design for your needs, provide free creative design solution.
- 3.Leading Technology: Comprehensive function and wide range of application. Leading technology to assure the quality.
- 4.Safe & Eco-friendly: Authoritative testing, environmental safety, stain resistant and easy to clean.
- 5.Top service: No MOQ, professional installation team.


Parameter

	Surface Pattern	Customized		Color	Customized
	Width	1.5 / 1.8 m		Thickness	2.0 / 3.0 / 4.5 / 6.0 / 8.0 mm
	Length	0-15m		Warranty	6 Years

EQUIPMENT

Badminton Net Post

Weight: 70kg/120kg/200kg
Color: Red / Blue



Nets

Badminton Net Post

Weight: 180kg
Model: Y-QCZ1180



Umpire Chair



LED Light



Flooring Roller

ACCESSORIES



Welding Rod



Edging Strip



Masking Tape




Double Side Tape



Edging Tape



Glue



Line Paint







